

**MAA116Ca21**

**Monoclonal Antibody**

**To Regulated On Activation In Normal T-Cell Expressed And Secreted (RANTES)**

**Organism Species: Canis familiaris; Canine (Dog)**

***Instruction manual***

FOR IN VITRO USE AND RESEARCH USE ONLY

NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

## **[ PRODUCT INFORMATION ]**

**Immunogen:** RANTES, Canine

**Clonality:** Monoclonal

**Clone number:** A4

**Host:** Mouse


**Immunoglobulin Type:** IgG

**Purification:** Affinity Chromatography.

**Applications:** WB, ICC, IHC-P, IHC-F, ELISA

**Concentration:** 500µg/mL

**UOM:** 200µg



*Sample: Recombinant RANTES, Canine*

## **[ IMMUNOGEN INFORMATION ]**

**Immunogen:** Recombinant RANTES (Ser24~Ser91) expressed in *E.coli*.

**Accession No.:** RPA116Ca01

**Sequence:** The target protein is fused with two N-terminal Tags, His-tag and S-tag and its sequence is listed below.

MHHHHHSSG LVPRGSGMKE TAAAKFERQH MDSPDLGTDD DDKAMADIGS EF-  
SPYASDT TPCCFAYISG RLPFTHVQEY FYTSSKCSMP AVFVTRKHR QVCANPQKKW  
VREYINSLEM S

## **[ ANTIBODY SPECIFICITY ]**

The antibody is a mouse monoclonal antibody raised against RANTES. It has been selected for its ability to recognize RANTES in immunohistochemical staining and western blotting.

## **[ APPLICATIONS ]**

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

## **[ CONTENTS ]**

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

## **[ STORAGE ]**

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.