

MAB258Ra21

Monoclonal Antibody to Glutamate Decarboxylase 2, Acid (GAD2)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

-22kDa

Western Blot

kDa 75

50

37

25

20

15

10

[PRODUCT INFORMATION]

Immunogen: GAD2, Rat Clonality: Monoclonal

Host: Mouse

Clone number: C5

Immunoglobulin Type: IgG

Purification: Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Concentration: 500µg/mL

UOM: 200μg Sample: Recombinant GAD2, Rat

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant GAD2 (Met1~Ala150) expressed in *E.coli*.

Accession No.: RPB258Ra01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and

S-tag and its sequence is listed below.

MHHHHHHSSG LVPRGSGMKE TAAAKFERQH MDSPDLGTDD DDKAMADIGS EF-MASPGSGFWS FGSEDGSGDP ENPGTARAWC QVAQKFTGGI GNKLCALLYG DSEKPAESGG SVTSRAATRK VACTCDQKPC SCPKGDVNYA LLHATDLLPA CEGERPTLAF LQDVMNILLQ YVVKSFDRST KVIDFHYPNE LLQEYNWELA



[ANTIBODY SPECIFITY]

The antibody is a mouse monoclonal antibody raised against GAD2. It has been selected for its ability to recognize GAD2 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.