

#### **MAP657Hu21**

# Monoclonal Antibody to Suppression Of Tumorigenicity 14 (ST14) Organism Species: Homo sapiens (Human) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

Western Blot

#### [ PRODUCT INFORMATION ]

Immunogen: ST14, Human

Clonality: Monoclonal

Clone number: A

Host: Mouse

Immunoglobulin Type: IgG

**Purification:** Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Concentration: 500µg/mL

**UOM:** 200μg Sample: Recombinant ST14, Human

## kDa 75 50 37 ←33kDa 25 20 15

### [ IMMUNOGEN INFORMATION ]

**Immunogen:** Recombinant ST14 (Arg607~Asn852) expressed in *E.coli*.

Accession No.: RPP657Hu01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and

S-tag and its sequence is listed below.

MHHHHHHSSG LVPRGSGMKE TAAAKFERQH MDSPDLGTDD DDKAMADIGS EF-RSFTRQARVV GGTDADEGEW PWQVSLHALG QGHICGASLI SPNWLVSAAH CYIDDRGFRY SDPTQWTAFL GLHDQSQRSA PGVQERRLKR IISHPFFNDF TFDYDIALLE LEKPAEYSSM VRPICLPDAS HVFPAGKAIW VTGWGHTQYG GTGALILQKG EIRVINQTTC ENLLPQQITP RMMCVGFLSG GVDSCQGDSG GPLSSVEADG RIFQAGVVSW GDGCAQRNKP GVYTRI PI FR DWIKEN



#### [ANTIBODY SPECIFITY]

The antibody is a mouse monoclonal antibody raised against ST14. It has been selected for its ability to recognize ST14 in immunohistochemical staining and western blotting.

#### [APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

### [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

#### [STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.