



A90231Ra01 Polyclonal Antibody to Urocortin 1 (UCN1) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

[PRODUCT INFORMATION]

Immunogen: UCN1	Western Blot	
Clonality: Polyclonal	kDa	
Host: Rabbit	75	
Species Reactivity: Rat	50	
Ig type: Rabbit IgG	37	
Purification: Antibodies are purified by	25	
target protein affinity chromatography.	20	
Applications: WB, ICC, IHC-P, IHC-F		
Form: Liquid	15	←14kDa
Size : 100µg	10	

Sample: Recombinant rat UCN1

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant rat UCN1 (Ala31~Gly121) expressed in *E.coli*.
Molecular Weight: 11.8kDa
USCN accession No.: P90231Ra01
Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSGSEF-AAANVVQDPN LRWNPGVRNQ GGGVRALLLL LAERFPRRAG SEPAGERQRR DDPPLSIDLT FHLLRTLLEL ARTQSQRERA EQNRIIFDSV G

Unique product Superb quality Client favorite Nicest service 💿 ISO9001:2008; 💿 ISO13485:2003; CE 11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnk.us | Http://www.uscnk.us Export Processing Zone, Wuhan 430056, P.R. China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnk.com | Http://www.uscnk.com





[ANTIBODY SPEFICITY]

Anti UCN1 is a rabbit polyclonal antibody raised against rat UCN1. This antibody has been selected for its ability to recognize rat UCN1 in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[<u>CONTENTS</u>]

Form & Buffer: Supplied as solution form in PBS, pH 7.4, containing 0.02%Na₃N, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant rat UCN1 (Ala31~Gly121) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading buffer: 100mM Tris(PH 8.8), 2%SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na₃N 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Unique product Superb quality Client favorite Nicest service 💿 ISO9001:2008; 💿 ISO13485:2003; CE

11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnk.us | Http://www.uscnk.us Export Processing Zone, Wuhan 430056, P.R.China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnk.com | Http://www.uscnk.com