

PAA355Hu01

Polyclonal Antibody to Thyroglobulin (TG)

Organism Species: Homo sapiens (Human)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

←31kDa

Western Blot

kDa 75

50

37

25

20

15

10

[PRODUCT INFORMATION]

Immunogen: Thyroglobulin, Human

Clonality: Polyclonal

Host: Rabbit

Immunoglobulin Type: IgG

Purification: Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Sample: Recombinant thyroglobulin, Human

Concentration: 200μg/mL UOM: 100μg Sa [IMMUNOGEN INFORMATION]

E.coli.

Accession No.: RPA355Hu01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and

Immunogen: Recombinant Thyroglobulin (Ser2083~Ala2333) expressed in

T7-tag and its sequence is listed below.

MGSSHHHHHH SSGLVPRGSH MASMTGGQQM GRGS- SLTEKVSL DSWQSLALSS VVVDPSIRHF DVAHVSTAAT SNFSAVRDLC LSECSQHEAC LITTLQTQPG AVRCMFYADT QSCTHSLQGQ NCRLLLREEA THIYRKPGIS LLSYEASVPS VPISTHGRLL GRSQAIQVGT SWKQVDQFLG VPYAAPPLAE RRFQAPEPLN WTGSWDASKP RASCWQPGTR TSTSPGVSED CLYLNVFIPQ NVAPNASVLV FFHNTMDREE SEGWPAIDGS FLAAVGNLIV VTA



[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against thyroglobulin. It has been selected for its ability to recognize thyroglobulin in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant thyroglobulin (Ser2083~Ala2333) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN₃ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.