

PAA775Ra01 Polyclonal Antibody to Hexokinase 1 (HK1) Organism Species: Rattus norvegicus (Rat) *Instruction manual* 

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

### [PRODUCT INFORMATION]

Immunogen: HK1, Rat Clonality: Polyclonal Host: Rabbit Immunoglobulin Type: IgG Purification: Affinity Chromatography. Applications: WB, ICC, IHC-P, IHC-F, ELISA Concentration: 200µg/mL UOM: 100µg

#### [IMMUNOGEN INFORMATION]

Immunogen: Recombinant HK1 (Phe80~Met215) expressed in E.coli.

Accession No.: RPA775Ra01

**Sequence:** The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSG SEF-F IALDLGGSSF RILRVQVNHE KNQNVSMESE IYDTPENIVH GSGTQLFDHV ADCLGDFMEK KKIKDKKLPV GFTFSFPCRQ SKIDEAVLIT WTKRFKASGV EGADVVKLLN KAIKKRGDYD ANIVAVVNDT VGTMM

### [ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against HK1. It has been selected for its ability to recognize HK1 in immunohistochemical staining and western blotting.


## [APPLICATIONS]

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-200

# <u> Cloud-Clone Corp</u>.


Optimal working dilutions must be determined by end user.

### [<u>IMAGES</u>]



Used in DAB staining on fromalin fixed paraffin-embedded stomach tissue

## [CONTENTS]



**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

## [QUALITY CONTROL]

**Content:** The quality control contains recombinant HK1 (Phe80~Met215) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL). **Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$  0.02%.

# [<u>STORAGE</u>]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.