


A90820Mu03
Polyclonal Antibody to Coagulation Factor II (F2)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
 NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

[PRODUCT INFORMATION]

Immunogen: F2
Clonality: Polyclonal
Host: Rabbit
Species Reactivity: Mouse
Ig type: Rabbit IgG
Purification: Antibodies are purified by target protein affinity chromatography.
Applications: WB, ICC, IHC-P, IHC-F
Form: Liquid
Size: 100µg



Sample: Recombinant mouse F2

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant mouse F2 (Thr325~Gly618) expressed in *E.coli*.
Molecular Weight: 35.5kDa
USCN accession No.: P90820Mu03
Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.
 MGHHHHHHSGSEF -TFGLGE ADCGLRPLFE KKSLKDTTEK ELLDSYIDGR IVEGWDAEKG
 IAPWQVMLFR KSPQELLCGA SLISDRWVLT AAHCILYPPW DKNFTENDLL VRIGKHSRTR
 YERNVEKISM LEKIYVHPRY NWRENLRDI ALLKLKVPV FSDYIHPVCL PDKQTVTSL
 RAGYKGRVTG WGNLRETWTT NINEIQPSVL QVNLPIVER PVCKASTRIR ITDNMFCAGF

Unique product Superb quality Client favorite Nicest service  ISO9001:2008;  ISO13485:2003; 

KVNDTKRGDA CEGDSGGPFV MKSPFNNRWY QMGIVSWGEG CDRKGKYGFY
THVFRLKRWI QKVIDQFG

[ANTIBODY SPECIFICITY]

Anti F2 is a rabbit polyclonal antibody raised against mouse F2. This antibody has been selected for its ability to recognize mouse F2 in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH 7.4, containing 0.02%Na₃N, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant mouse F2 (Thr325~Gly618) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemiluminescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading buffer: 100mM Tris(PH 8.8), 2%SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na₃N 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Unique product Superb quality Client favorite Nicest service  ISO9001:2008;  ISO13485:2003; 

11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnc.us | Http://www.uscnc.us
Export Processing Zone, Wuhan 430056, P.R.China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnc.com | Http://www.uscnc.com