



A90849Hu02 Polyclonal Antibody to Glycogen Phosphorylase, Liver (PYGL) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

[PRODUCT INFORMATION]

Immunogen: PYGLClonality: Polyclonal


Host: Rabbit

Species Reactivity: Human

Ig type: Rabbit IgG

Purification: Antibodies are purified by target protein affinity chromatography. **Applications:** WB, ICC, IHC-P, IHC-F

Form: Liquid Size: 100µg



Sample: Recombinant human PYGL

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant human PYGL (Gln370~Val538) expressed in E.coli.

Molecular Weight: 21.0kDa

USCN accession No.: P90849Hu02

Sequence: The target protein is fused with N-terminal His-Tag and its sequence

is listed below.

MGHHHHHHSGSEF-Q KTFAYTNHTV LPEALERWPV DLVEKLLPRH LEIIYEINQK HLDRIVALFP KDVDRLRRMS LIEEEGSKRI NMAHLCIVGS HAVNGVAKIH SDIVKTKVFK DFSELEPDKF QNKTNGITPR RWLLLCNPGL AELIAEKIGE DYVKDLSQLT KLHSFLGDDV FLRELAKV

Unique product Superb quality Client favorite Nicest service

@ ISO9001:2008;
@ ISO13485:2003;

C€





[ANTIBODY SPEFICITY]

Anti PYGL is a rabbit polyclonal antibody raised against human PYGL. This antibody has been selected for its ability to recognize human PYGL in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH 7.4, containing 0.02%Na₃N, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant human PYGL (Gln370~Val538) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading buffer: 100 mM Tris(PH 8.8), 2% SDS, 200 mM NaCl, 50% glycerol, BPB 0.01%, Na₃N 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.