PAA884Hu01 Polyclonal Antibody to Dipeptidyl Peptidase IV (DPP4) **Organism Species: Homo sapiens (Human)** Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Immunogen: DPP4, Human **Clonality:** Polyclonal Host: Rabbit Immunoglobulin Type: IgG Concentration: 200µg/mL **UOM:** 100µg

Western Blot kDa 70 44

9th Edition (Revised in Jul, 2013)

Sample: Recombinant DPP4, Human


[IMMUNOGEN INFORMATION]

Immunogen: Recombinant DPP4 (Ser484~Val728) expressed in E.coli. Accession No.: RPA884Hu01 Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below. MGHHHHHHSG SEF-SSVNDKG LRVLEDNSAL DKMLQNVQMP SKKLDFIILN ETKFWYQMIL PPHFDKSKKY PLLLDVYAGP CSQKADTVFR LNWATYLAST ENIIVASFDG RGSGYQGDKI MHAINRRLGT FEVEDQIEAA RQFSKMGFVD NKRIAIWGWS YGGYVTSMVL GSGSGVFKCG IAVAPVSRWE YYDSVYTERY MGLPTPEDNL DHYRNSTVMS RAENFKQVEY LLIHGTADDN VHFQQSAQIS KALVDVGV

[PRODUCT INFORMATION]

Purification: Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA



[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against DPP4. It has been selected for its ability to recognize DPP4 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:50-400 Immunocytochemistry in formalin fixed cells: 1:50-500 Immunohistochemistry in formalin fixed frozen section: 1:50-500 Immunohistochemistry in paraffin section: 1:10-100 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant DPP4 (Ser484~Val728) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL). **Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$ 0.02%.

[<u>STORAGE</u>]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.