



A92036Mu01 Polyclonal Antibody to Transferrin (TRF) Instruction manual

5th Edition (Revised in January, 2013)

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Western Blot [PRODUCT INFORMATION] kDa Immunogen: TRF 75 **Clonality:** Polyclonal 50 ←43kDa Host: Rabbit 37 Species Reactivity: Mouse Ig type: Rabbit IgG 25 Purification: Antibodies are purified by 20 target protein affinity chromatography. 15 Applications: WB, ICC, IHC-P, IHC-F Form: Liquid 10 **Size:** 100µg

Sample: Recombinant mouse TRF

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant mouse TRF (Val360~Lys682) expressed in E.coli.

Molecular Weight: 41.1kDa

USCN accession No.: P92036Mu01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and S-tag and its sequence is listed below.

MHHHHHHSSG LVPRGSGMKE TAAAKFERQH MDSPDLGTDD DDKAMADIGS- V KWCALSHLER TKCDEWSIIS EGKIECESAE TTEDCIEKIV NGEADAMTLD GGHAYIAGQC GLVPVMAEYY ESSNCAIPSQ QGIFPKGYYA VAVVKASDTS ITWNNLKGKK SCHTGVDRTA GWNIPMGMLY NRINHCKFDE FFSQGCAPGY EKNSTLCDLC IGPLKCAPNN KEEYNGYTGA FRCLVEKGDV AFVKHQTVLD NTEGKNPAEW AKNLKQEDFE LLCPDGTRKP VKDFASCHLA

Unique product Superb quality Client favorite Nicest service 💿 ISO9001:2008; 💿 ISO13485:2003; CE 11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnk.us | Http://www.uscnk.us Export Processing Zone, Wuhan 430056, P.R. China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnk.com | Http://www.uscnk.com





QAPNHVVVSR KEKAARVKAV LTSQETLFGG SDCTGNFCLF KSTTKDLLFR DDTKCFVKLP EGTTPEKYLG AEYMQSVGNM RK

[ANTIBODY SPEFICITY]

Anti TRF is a rabbit polyclonal antibody raised against mouse TRF. This antibody has been selected for its ability to recognize mouse TRF in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH 7.4, containing 0.02%Na₃N, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant mouse TRF (Val360~Lys682) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading buffer: 100mM Tris(PH 8.8), 2%SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na₃N 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

Unique product Superb quality Client favorite Nicest service 💿 ISO9001:2008; 💁 ISO13485:2003; CE

11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnk.us | Http://www.uscnk.us Export Processing Zone, Wuhan 430056, P.R.China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnk.com | Http://www.uscnk.com