



# pA93416Mu01 Polyclonal Antibody to Myosin Heavy Chain 4, Skeletal Muscle (MYH4) Organism: Mus musculus (Mouse) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

7th Edition (Revised in May, 2013)

### [ PRODUCT INFORMATION ]

Immunogen: MYH4, Mouse

**Clonality:** Polyclonal

Host: Rabbit

**Immunoglobulin Type:** IgG

**Purification:** Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Concentration: 200µg/mL

**UOM:** 100µg

## Western Blot kDa 75 50 37 25 20 15

Sample: Recombinant MYH4. Mouse

#### [ IMMUNOGEN INFORMATION ]

**Immunogen:** Recombinant MYH4 (Gln1259~Ser1495) expressed in *E.coli*.

**USCN Accession No.:** rP93416Mu01

Sequence: The target protein is fused with N-terminal His-Tag and its sequence

is listed below.

MGHHHHHHSG S-QL SEVKTKEEEQ QRLINELSTQ KARLHTESGE FSRQLDEKDA MVSQLSRGKQ AFTQQIEELK RQLEEESKAK NALAHALQSA RHDCDLLREQ YEEEQEAKAE LQRAMSKANS EVAQWRTKYE TDAIQRTEEL EEAKKKLAQR LQDAEEHVEA VNSKCASLEK TKQRLQNEVE DLMIDVERSN AACAALDKKQ RNFDKVLAEW KQKYEETQAE LEASQKESRS LSTELFKVKN AYEES





#### [ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against MYH4. It has been selected for its ability to recognize MYH4 in immunohistochemical staining and western blotting.

#### [APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

#### [CONTENTS]

**Form & Buffer:** Supplied as solution form in PBS, pH7.4, containing 0.02% NaN<sub>3</sub>, 50% glycerol.

#### [QUALITY CONTROL]

**Content:** The quality control contains recombinant MYH4 (Gln1259~Ser1495) disposed in loading buffer.

**Usage:** 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).

**Note:** The quality control is specifically manufactured as the positive control. Not used for other purposes.

**Loading Buffer:** 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN<sub>3</sub> 0.02%.

#### [STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.