


**A93796Ra01**  
**Polyclonal Antibody to Arginase II (Arg2)**  
*Instruction manual*

FOR IN VITRO USE AND RESEARCH USE ONLY  
 NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

**[ PRODUCT INFORMATION ]**

**Immunogen:** Arg2  
**Clonality:** Polyclonal  
**Host:** Rabbit  
**Species Reactivity:** Rat  
**Ig type:** Rabbit IgG  
**Purification:** Antibodies are purified by target protein affinity chromatography.  
**Applications:** WB, ICC, IHC-P, IHC-F  
**Form:** Liquid  
**Size:** 100µg



*Sample: Recombinant rat Arg2*

**[ IMMUNOGEN INFORMATION ]**

**Immunogen:** Recombinant rat Arg2 (Val23~Ile354) expressed in *E. coli*.  
**Molecular Weight:** 37.7kDa  
**USCN accession No.:** P93796Ra01  
**Sequence:** The target protein is fused with N-terminal His-Tag and its sequence is listed below.  
 MGHHHHHHSGSEF- VHSVAVVG APFSRGQKKK GVEYGPAAIR EAGLLKRLSM  
 LGCHIKDFGD LSFTNVPKDD PYNLNVYPR SVGIANQELA EVSRAVSGG YSCVTLLGGDH  
 SLAIGTISGH ARHHPDLCVI WVDAHADINT PLTTVSGNIH GQPLSFLIRE LQDKVPQLPG  
 FSWIKPCLSP PNLVYIGLRD VEPAEHFILK SFDIQYFSMR DIDRLGIQKV MEQTFDRLLIG

*Unique product Superb quality Client favorite Nicest service*  ISO9001:2008;  ISO13485:2003; 

11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnk.us | Http://www.uscnk.us  
 Export Processing Zone, Wuhan 430056, P.R.China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnk.com | Http://www.uscnk.com

KRKRPIHLSF DIDAFDPKLA PATGTPVVGG LTYREGLYIT EEIHSTGLLS ALDLVEVNPH  
LATSEEEAKA TASLAVDVIA SSFGQTREGG HIAYDHLPTP SSPHESEKEE CVRI

### [ **ANTIBODY SPECIFICITY** ]

Anti Arg2 is a rabbit polyclonal antibody raised against rat Arg2. This antibody has been selected for its ability to recognize rat Arg2 in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

### [ **APPLICATIONS** ]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

### [ **CONTENTS** ]

**Form & Buffer:** Supplied as solution form in PBS, pH 7.4, containing 0.02%Na<sub>3</sub>N, 50% glycerol.

### [ **QUALITY CONTROL** ]

**Content:** The quality control contains recombinant rat Arg2 (Val23~Ile354) disposed in loading buffer.

**Usage:** 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemiluminescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

**Loading buffer:** 100mM Tris(PH 8.8), 2%SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na<sub>3</sub>N 0.02%.

### [ **STORAGE** ]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.

*Unique product Superb quality Client favorite Nicest service*  ISO9001:2008;  ISO13485:2003; CE

11271 Richmond Avenue, H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Email: mail@uscnc.us | Http://www.uscnc.us  
Export Processing Zone, Wuhan 430056, P.R.China | Toll free: 0086-800-880-0687 | Fax: 0086-27-8425-9551 | Email: mail@uscnc.com | Http://www.uscnc.com