


A95421Mu01
Polyclonal Antibody to Fibulin 4 (FBLN4)
Organism: Mus musculus (Mouse)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
 NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

6th Edition (Revised in March, 2013)

[PRODUCT INFORMATION]

Immunogen: FBLN4, Mouse
Clonality: Polyclonal
Host: Rabbit
Immunoglobulin Type: IgG
Purification: Affinity Chromatography.
Applications: WB, ICC, IHC-P, IHC-F
Concentration: 200µg/mL
UOM: 100µg






Sample: Recombinant FBLN4, Mouse

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant FBLN4 (Gly182~Val431) expressed in *E. coli*.
USCN Accession No.: P95421Mu01
Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHHSQSEF- GSFRCQCEP GFQLGPNRNS CVDVNECDMG APCEQRCFNS
 YGTFLCRCNQ GYELHRDGF S CSDIDECGYS SYLCQYRCVN EPGRFSCHCP
 QGYQLLATRL CQDIDECETG AHQCSEAQTC VNFHGGYRCV DTNRCVEPYV
 QVSDNRCLCP ASNPLCREQP SSIHVRYMSI TSERSVPADV FQIQATSVYP GAYNAFQIRS
 GNTQGDFYIR QINNVSAMLV LARPVTGP RE YVLDLEMTM NSLMSYRASS V

Unique product Superb quality Client favorite Nicest service  ISO9001:2008;  ISO13485:2003; 

[ANTIBODY SPECIFICITY]

The antibody is a rabbit polyclonal antibody raised against FBLN4. It has been selected for its ability to recognize FBLN4 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant FBLN4 (Gly182~Val431) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.
5uL per well when used in enhanced chemiluminescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN₃ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.