

PAF989Ra01

Polyclonal Antibody to Deiodinase,Iodothyronine,Typelll(DIO3)

Organism Species: Rattus norvegicus (Rat)

Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

9th Edition (Revised in Jul, 2013)

[**PRODUCT INFORMATION**]

Immunogen: DIO3, Rat

Clonality: Polyclonal

Host: Rabbit


Immunoglobulin Type: IgG

Purification: Affinity Chromatography.

Applications: WB, ICC, IHC-P, IHC-F, ELISA

Concentration: 200µg/mL

UOM: 100µg



Sample: Recombinant DIO3, Rat

[**IMMUNOGEN INFORMATION**]

Immunogen: Recombinant DIO3 (Arg11~Arg277) expressed in *E. coli*.

USCN Accession No.: RPF989Ra01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and MBP-tag and its sequence is listed below.

MKIEEGKLV I WINGDKGYNG LAEVGKKFEK DTGIKVTV EHPDKLEEKFPQ VAATGDGPDI
IFWAHDRFGG YAQSGLLAEI TPKAFQDKL YPFTWDAVRY NGKLIAYPIA VEALSLIYNK
DLLPNPPKTW EEIPALDKEL KAKGKSALMF NLQEPYFTWP LIAADGGYAF KYENKDYDIK
DVGVDNAGAK AGLTFLVDLI KNKHMNADTD YSIAEAAFNK GETAMTINGP WAWSNIDTSK
VNYGVTVLPT FKGQPSKPFV GVLSAGINAA SPNKELAKEF LENYLLTDEG LEAVNKDKPL
GAVALKSYEE ELAKDPRIAA TMENAQKGEI MPNIPQMSAF WYAVRTAVIN AASGRQTVDE
ALKDAQTGST SGSQHSHHHH SAGLVPRGST AIGMKETAAA KFERQHMDSP DLGTLVLFQ
GPLGSEF- RLCAQTASCL VLFPRFLGTA FMLWLLDFLC IRKHFLRRRH PDHPEPEVEL
NSEGEEMPPD DPPICVSDDN RLCTLASLKA VWHGQKLDFF KQAHEGGPAP

NSEVVRPDGF QSQRILDYAQ GTRPLVLNFG SCTUPPFMAR MSAFQRLVTK YQRDVFLLII
YIEEAHPSDG WVTTDSPYVI PQHRSLEDRV SAARVLQQGA PGCALVDTM ANSSSSAYGA
YFERLYVIQS GTIMYQGGRG PDGYQVSELR TWLERYDEQL HGTRPRR

[ANTIBODY SPECIFICITY]

The antibody is a rabbit polyclonal antibody raised against DIO3. It has been selected for its ability to recognize DIO3 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Enzyme-linked Immunosorbent Assay: 1:100-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant DIO3 (Arg11~Arg277) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.
5uL per well when used in enhanced chemiluminescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN₃ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.