

A96809Hu01
Polyclonal Antibody to Lysine Specific Demethylase 4C (KDM4C)
Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY
NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

[PRODUCT INFORMATION]

Immunogen: KDM4C

Clonality: Polyclonal

Host: Rabbit

Species Reactivity: Human


Ig type: Rabbit IgG

Purification: Antibodies are purified by target protein affinity chromatography.

Applications: WB, ICC, IHC-P, IHC-F

Form: Liquid

Size: 100µg



Sample: Recombinant human KDM4C

[IMMUNOGEN INFORMATION]




Immunogen: Recombinant human KDM4C (Leu685~Lys871) expressed in *E.coli*.

Molecular Weight: 22.6kDa

USCN accession No.: P96809Hu01

Sequence: The target protein is fused with N-terminal His-Tag and its sequence is listed below.

MGHHHHHSGSEF-LIPEMC FIYSEENIEY SPPNAFLEED GTLLISCAK CCVRVHASCY
GIPSHEICDG WLCARCKRNA WTAECCLCNL RGGALKQTKN NKWAHVMCVA
AVPEVRFTNV PERTQIDVGR IPLQLKCLKC IFCRHRVKRV SGACIQCSYG RCPASFHVTC

Unique product Superb quality Client favorite Nicest service  ISO9001:2008 ;  ISO13485:2003 ; 

AHAAGVLMPEP DDWPYVVNIT CFRHKVNPV K

[ANTIBODY SPECIFICITY]

Anti KDM4C is a rabbit polyclonal antibody raised against human KDM4C. This antibody has been selected for its ability to recognize human KDM4C in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH 7.4, containing 0.02%Na₃N, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant human KDM4C (Leu685~Lys871) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemiluminescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading buffer: 100mM Tris(PH 8.8), 2%SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na₃N 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.