



A81389Hu01 Polyclonal Antibody to Transformer 2 Beta (TRA2b) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

5th Edition (Revised in January, 2013)

[PRODUCT INFORMATION]

Immunogen: TRA2b Western Blot Clonality: Polyclonal kDa 75 Host: Rabbit 50 **Species Reactivity:** Human Ig type: Rabbit IgG 37 **Purification:** Antibodies are purified by 25 target protein affinity chromatography. 20 ← 20kDa Applications: WB, ICC, IHC-P, IHC-F 15 Form: Liquid 10 **Size:** 100µg

Sample: Recombinant human TRA2b

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant human TRA2b (Ser64~Pro204) expressed in E.coli.

Molecular Weight: 18.2kDa

USCN accession No.: P81389Hu01

Sequence: The target protein is fused with N-terminal His-Tag and its sequence

is listed below.

MGHHHHHHSGSEF- SRRHYTR SRSRSRSHRR SRSRSYSRDY RRRHSHSHSP MSTRRRHVGN RANPDPNCCL GVFGLSLYTT ERDLREVFSK YGPIADVSIV YDQQSRRSRG

FAFVYFENVD DAKEAKERAN GMELDGRRIR VDFSITKRPH TPTP





[ANTIBODY SPEFICITY]

Anti TRA2b is a rabbit polyclonal antibody raised against human TRA2b. This antibody has been selected for its ability to recognize human TRA2b in immunohistochemical staining and western blotting, non cross-reactive with other members of the family.

[APPLICATIONS]

Western blotting: 1:100-400

Immunocytochemistry in formalin fixed cells: 1:100-500

Immunohistochemistry in formalin fixed frozen section: 1:100-500

Immunohistochemistry in paraffin section: 1:50-200

Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH 7.4, containing 0.02%Na₃N, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant human TRA2b (Ser64~Pro204) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate.

5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading buffer: 100mM Tris(PH 8.8), 2%SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, Na₃N 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.