PAQ635Hu01 Polyclonal Antibody to CUB And Zona Pellucida Like Domains Protein 1 (CUZD1) Organism Species: Homo sapiens (Human) Instruction manual

FOR IN VITRO USE AND RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

	9th Edition (Revised in Jul, 2013)			
[PRODUCT INFORMATION]	Western Bolt kDa			
	75			
Immunogen: CUZD1, Human	50	-	←61kDa	
Clonality: Polyclonal	37			
Host: Rabbit	25			
Immunoglobulin Type: lgG	20			
Purification: Affinity Chromatography.	45			
Applications: WB, ICC, IHC-P, IHC-F, ELISA	15			
Concentration: 200µg/mL	10			
UOM: 100µg	Sample: Recombinant CUZD1, Human			

[IMMUNOGEN INFORMATION]

Immunogen: Recombinant CUZD1 (Pro218~Arg479) expressed in E.coli.

Accession No.: RPQ635Hu01

Sequence: The target protein is fused with two N-terminal Tags, His-tag and GST-tag and its sequence is listed below.

MSPILGYWKI KGLVQPTRLL LEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPYYID GDVKLTQSMA IIRYIADKHN MLGGCPKERA EISMLEGAVL DIRYGVSRIA YSKDFETLKV DFLSKLPEML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK KRIEAIPQID KYLKSSKYIA WPLQGWQATF GGGDHPPKSD GSTSGSGHHH HHHSAGLVPR GSTAIGMKET AAAKFERQHM DSPDLGTLEV LFQGPLGSEF-PST NSGLIGQVCG RVTPTFESSS NSLTVVLSTD YANSYRGFSA SYTSIYAENI NTTSLTCSSD RMRVIISKSY LEAFNSNGNN LQLKDPTCRP KLSNVVEFSV PLNGCGTIRK VEDQSITYTN IITFSASSTS

Designed by Cloud-Clone Corp., Assembled by Uscn Life Science Inc. ISO9001:2008 ; ISO13485:2003 11271 Richmond Avenue Suite H104, Houston, TX 77082, USA | Toll free: 001-888-960-7402 | Fax: 001-832-538-0088 | Http://www.doud-clone.us | E-mail: mail@cloud-clone.us
Export Processing Zone Building F, Wuhan, Hubel 430056, PRC | Toll free: 0086-800-880-0667 | Fax: 0086-27-8425-9551 | Http://www.uscnk.com | E-mail: mail@cloud-clone.us EVITRQKQLQ IIVKCEMGHN STVEIIYITE DDVIQSQNAL GKYNTSMALF ESNSFEKTIL ESPYYVDLNQ TLFVQVSLHT SDPNLVVFLD TCRASPTSDF ASPTYDLIKS GCSRDETCKV YPLFGHYGR

[ANTIBODY SPECIFITY]

The antibody is a rabbit polyclonal antibody raised against CUZD1. It has been selected for its ability to recognize CUZD1 in immunohistochemical staining and western blotting.

[APPLICATIONS]

Western blotting: 1:100-400 Immunocytochemistry in formalin fixed cells: 1:100-500 Immunohistochemistry in formalin fixed frozen section: 1:100-500 Immunohistochemistry in paraffin section: 1:50-200 Enzyme-linked Immunosorbent Assay: 1:100-200 Optimal working dilutions must be determined by end user.

[CONTENTS]

Form & Buffer: Supplied as solution form in PBS, pH7.4, containing 0.02% NaN₃, 50% glycerol.

[QUALITY CONTROL]

Content: The quality control contains recombinant CUZD1 (Pro218~Arg479) disposed in loading buffer.

Usage: 10uL per well when 3,3'-Diaminobenzidine(DAB) as the substrate. 5uL per well when used in enhanced chemilumescent (ECL).

Note: The quality control is specifically manufactured as the positive control. Not used for other purposes.

Loading Buffer: 100mM Tris(pH8.8), 2% SDS, 200mM NaCl, 50% glycerol, BPB 0.01%, NaN $_3$ 0.02%.

[STORAGE]

Store at 4°C for frequent use. Stored at -20°C to -80°C in a manual defrost freezer for one year without detectable loss of activity. Avoid repeated freeze-thaw cycles.